






01	SD-FME66	64-74MHz	2.52dBi	FME connector	480mm
02	SD-RH771-N	27MHz	3.52dBi	BNC/TNC	540mm
03	SD-SRH519	144/430MHz	2.5/3.5dBi	SMA-Male	370mm
04	SD-SRH536B	144/430MHz	2.5/3.5dBi	BNC/SMA	358mm
05	SD-CS3	CB,VHF,UHF,V/U, 800/900MHz, WiFI,4G,5.8GHz	3.5/5.5dBi	BNC/SMA/TNC	315mm
06	SD-CS2	CB,VHF,UHF,V/U, 800/900MHz, WiFI,4G,5.8GHz	3.5/5.5dBi	BNC/SMA/TNC	315mm
07	SD-CS1	144/430MHz	3.5/5.5dBi	SMA Female	460mm
08	SD-SRH805S	144/430MHz	1.8/2.15dBi	SMA	50mm
09	SD-SRJF10	144/430MHz	1.8/2.15dBi	SMA-Male/ SMA-Female	70mm
10	SD-SD006	GSM/4G/LTE	2.5dBi	SMA-Male	60mm
11	SD-SD008	144/430MHz	1.8/2.5dBi	SMA-Female	80mm



11	SD-RH775B	144/430MHz	2.15dBi	SMA	110/410mm
12	SD-RH775S	144/430MHz	2.15dBi	SMA	110/410mm
13	SD-RH771	144/430MHz	2.5/3.5dBi	BNC/TNC/SMA	380mm
14	SD-SCBXZ	144/430MHz	2.5dBi	TNC/SMA/BNC	170/450mm
15	SD-NH331	136-174MHz	2.0dBi	BNC/SMA	190/1050mm
16	SD-RH770	144/430MHz	3.5/5.5dBi	BNC/SMA	215/920mm
17	SD-SCFPLG10	136-174MHz	3.5dBi	BNC/SMA	190/1150mm
18	SD-SCFPLG7	136-174MHz	2.5dBi	BNC/SMA	170/600mm
19	SD-SCBDZ	136-174MHz	3.5dBi	BNC/SMA	220/1100mm
20	SD-SCHZT	136-174MHz	3.5dBi	BNC/SMA	200/900mm
21	SD-AL800	144/430MHz	3.2/5.6dBi	BNC/SMA	220/850mm
22	SD-669CR	136-174MHz	2.0dBi	SMA	200mm

(VHF/UHF Two Way Radio Antenna)



01 02 03 04 05 06 07 08



09 10 11 12 13 14 15 16

01	SD-378G	400-520MHz	2.15dBi	SMA-Female	80mm
02	SD-SC278	136-174MHz	1.8dBi	TNC	150mm
03	SD-SC09	400-520MHz	2.15dBi	BNC	100mm
04	SD-F16	400-470MHz	2.15dBi	ICOM	75mm
05	SD-TK3207	400-520MHz	1.8dBi	SMA-Female	130mm
06	SD-VX160S	400-520MHz	2.15dBi	SMA-Male	90mm
07	SD-TK2107S	400-520MHz	2.15dBi	SMA-Male	160mm
08	SD-MOTOA9	400-520MHz	2.15dBi	MOTO/MX/PL	120mm
09	SD-MTP3150	380-430MHz GPS	1.8dBi	Suitable for MOTOROLA Tetra Radio MTH800 MTP88	55mm
10	SD-GP300U	400-520MHz	2.15dBi	MOTO/MX/PL	90mm
11	SD-GP300V	136-174MHz	1.8dBi	MOTO/MX/PL	110mm
12	SD-VX150	136-174MHz	1.8dBi	SMA-Male	170mm
13	SD-SC14	400-520MHz	2.15dBi	SMA-Female	150mm
14	SD-M800	400-868MHz	2.5dBi	TNC	165mm
15	SD-VX160L	400-520MHz	2.15dBi	SMA-Male	160mm
16	SD-V85	VHF/UHF/868MHz	3.5dBi	SMA-Male	160mm

◇◇ 03 ◇◇



17 18 19 20 21 22 23 24



25 26 27 28 29 30 31 32


17	SD-GTH	136-174MHz	1.8dBi	BNC	160mm
18	SD-F21	400-520MHz	2.15dBi	I-COM	160mm
19	SD-V8	136-174MHz	1.8dBi	BNC	150mm
20	SD-TK2217	136-174MHz	1.8dBi	SMA-Female	170mm
21	SD-TK3217	400-520MHz	2.15dBi	SMA-Female	170mm
22	SD-F11	136-174MHz	1.8dBi	I-COM	160mm
23	SD-GP3688U	400-520MHz	2.15dBi	MOTO/MX/PL	170mm
24	SD-GP3688V	136-174MHz	1.8dBi	MOTO/MX/PL	170mm
25	SD-TK2207	136-174MHz	1.8dBi	SMA-Female	110mm
26	SD-SC378	400-520MHz	2.15dBi	TNC	160mm
27	SD-TPA-AN011	400-520MHz	2.15dBi	Tait (SMA)	160mm
28	SD-SC66/88	VHF or 66-88MHz	1.8dBi	SMA-Male	213mm
29	SD-TK3107	400-520MHz	2.15dBi	SMA-Female	160mm
30	SD-XPR3500	136-174MHz	1.8dBi	MOTO/MX/PL	150mm
31	SD-HT1000V	136-174MHz	1.8dBi	MOTO/MX/PL	190mm
32	SD-HT1000	136-890MHz	1.8-3.5dBi	SMA-F (Red/white)	160mm

◇◇ 04 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>



01	SD-TURBO1000	26-28MHz	3.0dBi	PL259	1150mm
02	SD-AT1200	26-28MHz	4dBi	UHF/PL259	1200mm
03	SD-P-600	27MHz	3.5dBi	PL259	1250mm
04	SD-SUPER9	26-28MHz	4dBi	UHF/PL259	1400mm
05	SD-ML145	26-28MHz	4dBi	UHF/PL259	1450mm
06	SD-ALAN9	26-28MHz	4dBi	UHF/PL259	1500mm

◇◇ 07 ◇◇

07	SD-27D-95	27MHz	2.5dBi	PL259	700mm
08	SD-T3-N130	27MHz	2.0dBi	UHF/PL259	710mm
09	SD-T3	27MHz	2dBi	UHF/PL259	740mm
10	SD-27M-95	27MHz	2.5dBi	PL259	750mm
11	SD-SNAKE27	26-28MHz	2dBi	UHF/PL259	1125mm
12	SD-N60	26-88MHz	2.5dBi	PL259	1410mm

◇◇ 08 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(CB Mobile Antenna)



01 02 03 04 05

01	SD-CB82 MAG	27MHz	2.5dBi	UHF/PL259	740±10mm
02	SD-T3MAG145	27MHz	2.0dBi	UHF/PL259	740mm
03	SD-T3MAG125	27MHz	2.0dBi	UHF/PL259	740±10mm
04	MINI SNAKE 27 MAG	27MHz	2.15dBi	SMA-Female	650mm
05	SDHU-27	27MHz	3.5dBi	PL259	1200mm

◇◇ 09 ◇◇



06 07 08 09 10

06	SD-MICRO 30 MAG	26-28MHz	2.5dBi	PL259	310mm
07	SD-R27S	27MHz	2.0dBi	BNC/SMA Male	250mm
08	SD-CB-2F/3F	27MHz	3.5dBi	M10	2feet/3feet
09	SD-HF-1	7-50MHz	3.5dBi	PL259	1300mm
10	SD-HF-3	3-50MHz	3.5dBi	PL259	1300mm


◇◇ 10 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334


EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Mobile Antenna)



01	M150	136-174MHz	3dBi	PL259	520mm
02	M150-GSA	136-174MHz	3dBi	PL259	520mm
03	MC200	340-520MHz	3.4dBi	PL259	570mm
04	PO150	136-174MHz	3.5dBi	PL259	1100mm
05	SD438SN	144-174MHz	3.4dBi	PL259	1330mm
06	MC101	134-174MHz	3.4dBi	PL259	1420mm

◇◇ 11 ◇◇



07	SD-R2	144/430MHz	2.15 /2.5dBi	PL259	385mm
08	SD-770S	144/430MHz	3.0 /3.5dBi	PL259	480mm
09	SD-JSD4	144/430MHz	2.5 /3.5dBi	PL259	500mm
10	SD-438VU	144/430MHz	3.0 /5.5dBi	PL259	800mm
11	SD-770H	144/430MHz	3.0 /5.5dBi	PL259	920mm
12	SD-770R	144/430MHz	2.15 /5.5dBi	PL259	960mm


◇◇ 12 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Mobile Antenna)



01	SD-SG506	144/430MHz	2.15 /5.0dBi	PL259	620mm
02	SD-CR8900	29/50/144/430MHz	2.15 /5.5dBi	PL259	1260mm
03	SD-438V	136-174MHz	3.4dBi	PL259	1350mm
04	SD-MC101J	134-174MHz	3.4dBi	PL259	1420mm
05	SD-CL2E	144/430MHz	4.1 /5.5dBi	PL259	1450mm
06	SD-SG7900	144/430MHz	5.0 /7.6dBi	PL259	1580mm

◇◇ 13 ◇◇



07	SD90GSM	800-1900MHz	5.5dBi	SMA.etc	320mm
08	SD-R2	144/430MHz	2.5 / 3.0dBi	PL259	385mm
09	SD90VU	144/430MHz	2.5 / 3.5dBi	SMA.etc	490mm
10	SD30VU	144/430MHz	2.5 / 3.5dBi	PL259.etc	500mm
11	SD90V	136-174MHz	3.5dBi	SMA.etc	550mm

◇◇ 14 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>


(NMO Magnetic Base)



01	SD-NMXGP1	NMO	144/430MHz or 4G	39.5×90mm
02	SD-YC2	NMO	144/430MHz or 4G	39.5×90mm
03	SD-NM-LB	NMO	Adapter with 3/8" Hole bracket(转接头含夹边)	
04	SD-NMO-NF	NMO	NMO 3/4"to N-female (3/4"NMO转N母头)	
05	SD-NM150	NMO	Dia:150mm	
06	SD-NM90	NMO	Dia: 90mm	
07	SD-NM120	NMO	Dia:120mm	
08	SD-NM390	NMO	3 point magmount (三合一吸盘)	
09	SD-NC1-3/4	NMO	NMO 3/4" with cable	
10	11SD-NC1-3/8	NMO	NMO 3/8" with cable	
11	SD-NC2	NMO	with 4m RG58 cable	
12	SD-NC1-Alloyed	NMO	Alloyed 3/4" with cable	

◇◇ 15 ◇◇

NMO Mobile Antenna



01	SD-N27	27/50/70MHz	2.5dBi	NMO	500mm
02	SD-N1	136-940MHz	2.5dBi	NMO	490mm
03	SD-N1-1	136-174MHz	2.5dBi	NMO	550mm
04	SD-N3	400-520MHz	5.5dBi	NMO	890mm
05	SD-N2	136-174MHz	3.5dBi	NMO	500mm or 1310mm
06	SD-N2-V	136-174MHz	3.0dBi	NMO	500mm or 1310mm
07	SD-N4	136-174MHz	3.5dBi	NMO	1360mm

◇◇ 16 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>



01

02


03

04

05

01	ER450-GSM	900/1800MHz	5.5dBi	SMA-Male	600mm
02	SD4780-BBS	477MHz or 4G	6.5dBi	FME/F or SMA/M	1075mm
03	SD4780-WBS	477MHz or 4G	6.5dBi	FME/F or SMA/M	1075mm
04	SD4760-W	477MHz or 4G	6.5dBi	FME/F or SMA/M	1065mm
05	SD4760-B	477MHz or 4G	6.5dBi	FME/F or SMA/M	1065mm

◇◇ 17 ◇◇



06

07

08

09

10

11

06	SD-4755S0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
07	SD-4755B0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
08	SD-ER450B	477MHz	6.0dBi	SMA / FME	810mm
09	SD-ER450	477MHz	6.0dBi	SMA / FME	810mm
10	SD-4780BSD	477MHz or 4G	6.5dBi	SMA / FME	1070mm
11	SD-4755S1.1	477MHz or 4G	6.0dBi	SMA / FME	1100mm

◇◇ 18 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Magnet Base for Mobile Antenna)



01



02



03



10



11



12



04



05



06



13



14



15



07



08



09



16



17



18

◇◇ 19 ◇◇

◇◇ 20 ◇◇

01	SD150M	Magnetic	Dia. 150mm / M8
02	SD150	Magnetic	Dia. 150mm / SO239
03	SD120T	Magnetic	Dia. 120mm / Vacuum
04	SD120A SIRIO	Magnetic	Dia. 120 Adjust
05	SDT3M	Magnetic	Dia. 95mm / Adjust
06	SD90	Magnetic	Dia. 90mm / SO239
07	SD120SIRIO	Magnetic	Dia. 120mm / SO239
08	SD110	Magnetic	Dia. 110mm / SO239
09	SD90SMA	Magnetic	Dia. 90W. SMA-Female

10	SD170E	Magnetic	Dia. 170mm / Vacuum
11	SD170	Magnetic	Dia. 170mm
12	SD150A	Magnetic	Dia. 150 Adjust
13	SD110N	Magnetic	Dia. 110mm N-Male
14	SD90BK	Magnetic	Dia. 90mm bracket
15	SD390	Magnetic	Dia. 90X3
16	SD90B-DW	Magnetic	Dia. 90mm / Counterpoise
17	SD150NMO-DW	Magnetic	Dia. 150mm/counterpoise
18	SD-NEW-3-CABLE		SO239 CABLE

Clip Mount For Mobile Antenna)



01



02



03



10



11



12



04



05



06



13



14



15



07



08



09



16



17



18

01	SDC-1	Cable	SO239 mount cable
02	SD-CBB	Trunk	CB Antenna Mounting Bracket
03	SD400S/B	Trunk	Tilt Angle Adjust
04	SD-T3 base	Trunk	Hole Dia. 12.5mm
05	SD402B	Trunk	3-axis.adjust
06	SDK33S	Trunk	Tilt Angle Adjust
07	SDBK	Trunk	Tilt Angle Adjust
08	GK-408	Trunk	Tilt Angle Adjust
09	SD-Prado	Trunk	

◇◇ 21 ◇◇

10	SD401	Trunk	Tilt Angle Adjust
11	SDTS60	Trunk	Tilt Angle Adjust
12	SDKYD	Trunk	Tilt Angle Adjust
13	SD-K77	Bracket	Easy installed by hand
14	SDBK	Trunk	Tilt Angle Adjust
15	SD-K66	Bracket	Stainless steel, guard against theft
16	SD-K401	Bracket	2-axis adjustable, compact&heavy duty type
17	SD-K405	Bracket	2-axis adjustable, compact&heavy duty type
18	SD407	Trunk	


◇◇ 22 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Marine Antenna)



01

02

03


04

05

06

01	SD-MRF0.6	700-2700MHz	6-10dBi	SMA or customized	600mm
02	SD-MRF27	24.5-29.5MHz	3.0dBi	SO239	1120mm
03	SD-MRF120C	156-163MHz	4.0dBi	SO239 or N female	1200mm
04	SD-MRS140/176	156-163MHz	6.5dBi	SO239 or N female	990mm
05	SD-MRF27INOX	24.5-29.5MHz	3.0dBi	SO239	1120mm
06	SD-MRS136	136-174MHz	3.5dBi	SO239 or N female	1100mm

◇◇ 23 ◇◇



07

08

09

10

11

07	SD-MRF130V	156-163MHz	3.0dBi	1300mm
08	SD-MRF170V	156-163MHz	4.5dBi	1700mm
09	SD-MRF240C	156-163MHz	6.5dBi	2400mm
10	SD-MRF240V	156-163MHz	6.5dBi	2400mm
11	SD-MRF320V	156-163MHz	7.0dBi	3200mm


◇◇ 24 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Marine Antenna)



01

02

03

04



05

06

07

08

01	SD-MRF105V	156-163MHz	3.5dBi	Customerized	1050mm
02	SD-MRF105VS	156-163MHz	3.5dBi	Customerized	1050mm
03	SD-MRF110V	156-163MHz	4.0dBi	SO239	1100mm
04	SD-MRF125V	156-163MHz/4G	3.5dBi	SO239/N female	1250mm
05	SD-MRF003	1575 ± 5MHz	>28dBi	Customerized	96×96×127mm
06	SD-MRF004	1575 ± 5MHz	>28dBi	Customerized	96×96×125mm
07	SD-MRF001	ABS 4-way Ratchet Marine mount with Standard 1"-14 male threads			
08	SD-MRF002	Gasting Heavy Duty 4-way Ratchet Marine mount with Standard 1"-14 male threads and stainless steel material, with mirror housing			

◇◇ 25 ◇◇

(2.4GHz/5.8GHz Antenna)



01

02

03

04



05

06

07

08

01	SD5.1-C5	5.1-5.8GHz	2.0dBi	SMA	100mm
02	SD5.8-C5/TX	5.1-5.8GHz	2.0dBi	SMA	100mm
03	SD5.8-C5/RX	5.1-5.8GHz	2.0dBi	SMA	100mm
04	SDW15-D	2.4 / 5G	7.0dBi	SMA	150mm
05	SDW16	2.4 / 5G	7.0dBi	SMA	160mm
06	SDW20	698-2700MHz	6dBi	SMA/M or RP SMA/M	200mm
07	SD5.8-C3	5.1-5.8GHz	2.0dBi	SMA	100mm
08	SD5.8-C4	5725-5875MHz	2.0dBi	SMA	100mm


◇◇ 26 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>


(V/UHF Fixed Station Antenna)



01 02 03 04 05 06

01	SDBF0.6-L	V/UHF/WIFI/4G	8dBi	N-Female	600mm
02	SDBF130VF	VHF or UHF	3.5dBi	UHF-Female / N-Female	1300mm
03	SD-X30	144/430MHz	3.5 / 5.5dBi	UHF-Female / N-Female	1300mm
04	SD-X5000	144/430/1200MHz	4.5/8.3/11.7dBi	UHF-F with 3 bands	1600mm
05	SD-X50D	144/430MHz	4.5/7.2dBi	UHF-Female / N-Female	1700mm
06	SD-X50	144/430MHz	4.5 / 7.2dBi	UHF-Female / N-Female	1700mm

◇◇ 27 ◇◇



07 08 09 10 11 12



07	SDBC100	134-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
08	SDBC100S	115-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
09	SDBC200	430-490MHz	6.5dBi	UHF-Female / N-Female	1700mm
10	SDBC200L	370-430MHz	6.5dBi	UHF-Female / N-Female	1700mm
11	SDX250	VHF or UHF	6.5 or 8.5dBi	UHF-F 5MHz / 10 MHz	2500mm
12	SDBF250VF	VHF or UHF	6.5 or 8.5dBi	UHF-F VHF or UHF full band	2500mm

◇◇ 28 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>



01	SDX510M	144/430MHz	8.4/11.7dBi	UHF-F three section	5200mm
02	SD-F23	144-174MHz	7.8dBi	UHF-F three section	4500mm
03	SD-V2000	50/144/430MHz	2.5/6.2/8.4dBi	UHF-F with 3 bands	2350mm
04	CP-22E	144-174MHz	6.5dBi	2×5/8wave adjustable	2700mm
05	SD-BC101	144-174MHz	3.5dBi	UHF-F 5/8wave GP	1500mm



06	SDBF4.0V	136-174MHz	8.5dBi	UHF-F bandwidth 5MHz	4000mm
07	SDBF4.0U	400-470MHz	10.5dBi	two section 10MHz width	4000mm
08	SDBF220V	136-174MHz	6.5dBi	UHF-F bandwidth 5MHz	2200mm
09	SDBF220U	400-470MHz	8.5dBi	UHF-F bandwidth 5MHz	2200mm
10	SD-F23H	144-174MHz	8.7dBi	UHF/N-F three section	5200mm

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(V/UHF Fixed Station Antenna)



06

07

08



SD-2



SD-4



SD-1



SD-3

01	SD-VX4000	144/430/1200MHz	2.6/5.8/9.2dBi	N-Female	1400mm
02	SDBF250GS	GSM or 1090MHz	12dBi	N-Female	1700mm
03	SDBA27	27mhz or 66-88MHz	5.5dBi	aluminium alloy	5200mm/3200mm
04	SDBA3.2	27mhz or 136-174MHz	5dBi	aluminium alloy	5200mm/3200mm
05	SDF22	144-174MHz	6.7dBi	UHF-F two section	3200mm

06	SDD130	25-3000MHz	3.5dBi	50/144/430/904/1200MHz	1700mm
07	SDBZL	136-174MHz or 400-470MHz	10/15dBi	4 dipole antennas	6M(VHF), 2.2M(UHF)

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(5G/4G/LTE Antenna)



01



02



03



04



05



06



07



08

01	SDBF25/4G	695-4800MHz	12dBi	N-Female	Full band , High gain
02	SDBF25/4G-SS	695-4800MHz	12dBi	N-Female	Full band , High gain
03	SDBF25/4G-MAG	695-4800MHz	12dBi	NMO	with magnetic base
04	SDBF25/4G-SS-S	695-4800MHz	12dBi	N-Female	with spring base
05	SDYL2/4G-1	698-2700MHz	12dBi	N-Female	N-Female with 20cm Cable double antenna
06	SDYL2/4G-2	698-2700MHz	12dBi	N-Female	N-Female with Cable of 200mm length
07	SDWM4/4G	698-2700MHz	14dBi	N-Female	210x180x44mm
08	SDXD3/4G	698-2700MHz	3.5dBi	N-Female	167x100mm

◇◇ 33 ◇◇



09



10



11



12



13



14



15



16

09	SDBF23/4G	698-2700MHz	4.5dBi	N-Male	230mm
10	SDBF0.3-4G	698-2700MHz	8dBi	N Male	300mm
11	SD30-5D/4G	698-2700MHz	5.0dBi	SMA-Male	240mm
12	SD45-7D/4G	698-2700MHz	7.5dBi	SMA-Male/BNC/TNC	300mm
13	SD30	GSM or 4G	3.0dBi	SMA.etc	110mm
14	SDD11/4G	698-2700MHz	2.5dBi	SMA-Male/RP-SMA-Male	110mm
15	SDD21/4G	698-2700MHz	5.5dBi	TNC/BNC/SMA	210mm
16	SDD28C/4G	698-2700MHz	7.5dBi	TNC/BNC/SMA	280mm

◇◇ 34 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(4G/LTE Antenna)



01	SDBF60-MAG39	698-2700MHz	6.5dBi	N-Male	600mm
02	SDBF60/4G	698-2700MHz	6.5dBi	N-Female	600mm
03	SDBF60SS	698-2700MHz	6.5dBi	FME	730mm
04	SDBF60EJG	698-2700MHz	6.5dBi	N-Male	850mm
05	SDBF96/4G	698-2700MHz	12dBi	N-Female	960mm

◇◇ 35 ◇◇



06	SDXGP-B	698-2700MHz	3dBi	NMO	Popular Type with 90mm magnetic base
07	SDSYNM90-4G	698-2700MHz	3dBi	NMO	New Fashion Design with 90mm magnetic base
08	SDXGP-VU	698-2700MHz	3.5dBi	NMO	Popular Type with 60mm magnetic base
09	SDSY-4G	698-2700MHz	4.5dBi	NMO or N female	New Fashion Design
10	SDD2.5D/4G	698-2700MHz	1.0dBi	SMA connector	25mm
11	SDJSD6	698-2700MHz	2.5dBi	SMA Female	110mm
12	SDD2.5A/4G	698-2700MHz	1.0dBi	SMA-Male/RP-SMA-Male	25mm
13	SDD5/4G	698-2700MHz	2.5dBi	SMA connector	50mm
14	SDXLJ/4G	698-2700MHz	2.5dBi	SMA connector	50mm

◇◇ 36 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

433 / 868 / 915 MHz



01

02

03

04



05

06

07

08

01	SD868T	433 or 868MHz	5.5dBi	SMA	170mm
02	SD90-GSM-7	900 / 1800MHz	7dBi	SMA	370mm
03	SD90-GSM-5	900 / 1800MHz	5dBi	SMA	320mm
04	SDBF60	433 or 868MHz	6.5dBi	N-Female	600mm
05	SDXP5	868MHz or GSM	3.5dBi	SMA-Male	50mm
06	SDVX160S	433 or 868MHz	2.5dBi	SMA-Male	90mm
07	SD3688B	433 or 868MHz	2.5dBi	SMA/BNC/TNC	90mm
08	SD669CB	433 or 868MHz	2.5dBi	SMA/BNC/TNC	170mm



09

10

11



12

13

14

15

09	SD868MD11	433 / 868MHz	5.5dBi	SMA	113mm
10	SD868MB93	433 / 868MHz	5.5dBi	SMA	113mm
11	SD433/868M	433 or 868MHz	5.5dBi	SMA	170mm
12	SDD11	433 or 868MHz	2.5dBi	SMA	110mm
13	SDVX160L	433 or 868MHz	2.5dBi	SMA-Male	165mm
14	SDD21	433 or 868MHz	5.5dBi	SMA-Male	210mm
15	SDBF250	433 or 868MHz	10.5dBi	N-Female	2500mm

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>



01



02



03



04



05



06



07



08



09



10



11



15



12



13



14

01	SD868T	433 or 868MHz	5.5dBi	SMA	170mm
02	SD90-GSM-7	900 / 1800MHz	7dBi	SMA	370mm
03	SD90-GSM-5	900 / 1800MHz	5dBi	SMA	320mm
04	SDBF60	433 or 868MHz	6.5dBi	N-Female	600mm
05	SDXP5	868MHz or GSM	3.5dBi	SMA-Male	50mm
06	SDVX160S	433 or 868MHz	2.5dBi	SMA-Male	90mm
07	SD3688B	433 or 868MHz	2.5dBi	SMA/BNC/TNC	90mm
08	SD669CB	433 or 868MHz	2.5dBi	SMA/BNC/TNC	170mm

09	SD868MD11	433 / 868MHz	5.5dBi	SMA	113mm
10	SD868MB93	433 / 868MHz	5.5dBi	SMA	113mm
11	SD433/868M	433 or 868MHz	5.5dBi	SMA	170mm
12	SDD11	433 or 868MHz	2.5dBi	SMA	110mm
13	SDVX160L	433 or 868MHz	2.5dBi	SMA-Male	165mm
14	SDD21	433 or 868MHz	5.5dBi	SMA-Male	210mm
15	SDBF250	433 or 868MHz	10.5dBi	N-Female	2500mm

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(WIFI Antenna)



01



02



03



04



05



06



07



08



09



10



11



12



13



14



15



16

01	SDW2.5A	2400-2500MHz	1.0dBi	SMA connector	25mm
02	SDW2.5	2400-2500MHz	1.0dBi	SMA connector	25mm
03	SDW5XLJ	2400-2500MHz	1.5dBi	SMA connector	50mm
04	SDW5	2400-2500MHz	1.5dBi	SMA connector	50mm
05	SDW11	2400-2500MHz	2.5dBi	SMA connector	110mm
06	SDW16	2400-2500MHz	3.5dBi	SMA connector	160mm
07	SDW19	700-2700MHz	5dBi	SMA connector	190mm
08	SDW40	2400-2500MHz	12dBi	SMA connector	400mm

41

09	SDW7	2400-2500MHz	2dBi	SMA connector	70mm
10	SDW9	2400-2500MHz	2dBi	SMA connector	90mm
11	SDW15	2400-2500MHz	2.5dBi	SMA connector	150mm
12	SDW17	2400-2500MHz	3.5dBi	SMA connector	170mm
13	SDW21	2400-2500MHz	5.5dBi	SMA connector	210mm
14	SDW28	2400-2500MHz	7.5dBi	SMA connector	280mm
15	SDW38	2400-2500MHz	9dBi	SMA connector	380mm
16	SDW38B	2400-2500MHz	9dBi	SMA connector	380mm

42

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>


Antenna)




01



02



07



08




03



04



09



10



05



06



11



12

01	SDYV1(BLACK)	136-174MHz	2.15dBi	1	
02	SDY145/435	144/430MHz	9.5/11.5dBi	8	Sliver
03	SDY400B/7	400-470MHz	10dBi	7	Aluminium Alloy weld
04	SDY900B/7	890-960MHz	10dBi	7	Aluminium Alloy weld
05	SDY400G/6	406-430MHz	10dBi	6	Aluminium Alloy weld
06	SDY400B/10	763-860MHz	12dBi	10	Aluminium Alloy weld

◇◇ 43 ◇◇

07	SDY450B/5	430-470MHz	9dBi	5	Aluminium Alloy screwed
08	SDYV5B	136-174MHz	9dBi	5	bandwidth±5Mhz
09	SDY88/108F	88-108MHz	2.15dBi	1	Full band type
10	SDY400B/3	400-470MHz	7dBi	3	
11	SDYV1	66-88/88-108MHz	2.15dBi	1	
12	SDYV3	136-174MHz	7dBi	3	Sliver 5MHz


◇◇ 44 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Yagi Antenna)




01



02



03



04



05



06

01	SD900B/4	890-960MHz	8dBi	4	Aluminium Alloy weld
02	SDY88/108	88-108MHz	3dBi	C	
03	SDY88/108A	88-108MHz	2.15dBi	1	Tunable type
04	SDY220-235	220-235MHz	12dBi	10	
05	SDY4G-3	698-2700MHz	12dBi	3	
06	SDY4G-4	698-2700MHz	12dBi	4	

(Connectors)



SMA-Male/UHF-Female



RP-SMA-Male



RP-SMA-Female



SMA-Male/BNC-Male



SMA-Male/BNC-Female



SMA-Male/N-Female



SMA-Male/N-Male



SMA-Male/UHF-Male



SMA-Male/TNC-Female



SMA-Male/TNC-Male



SMA-Female/UHF-Female



SMA-Female/UHF-male



SMA-Female/TNC-Male



UHF-Male/N-Male



N-Female/UHF-Male



SMA-Male



SMA-Male/BNC-Female



SMA-F(pcb2)



SMA-Male



SMA-F(pcb1)

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Connectors)



SMA-Male(right angle)



SMA-Female



SMA-Male(right angle)pcb2



SMA-Female/BNC-Male



TNC-Male/N-Female



TNC-Female2



N-Male/TNC-Female



N-Male / N-Male



UHF-Male1



UHF-Male2



UHF-Male



FME-Male/SMA-Male



N-Male/N-Female



N-Male/FME-Male



N-Male/FME-Female



N-Male/MCX-Male



SMA-Male(right angle)pcb1



UHF-Female1



BNC-Male



BNC-Female1



N-Male/F-Female



UHF-Female(pcb)



UHF-Female to UHF-Female



UHF-Female/UHF-Male



BNC-Female2



TNC-Male



TNC-Female1



N-Male1



BNC-M/RP-SMA-M



N-Male2



N-Female2



N-Female4



N-Female1



MINI UHF-M/UHF-Female



BNC-Male/UHF-Female



BNC-Female



N-Female



N-Female/FME-Female



FME-Female



N-Female3

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>

(Connectors)



MINI UHF-Male



MINI UHF-Female



TS9



CRC9



N-Female/FME-Male



FME-Male



FME-Female/SMA-Male



MCX(right angle)



MCX-Male(pcb)



MCX-Male/SMA-Male



MCX-Female(pcb)



MCX-Female



MMCX



MMCX(right angle)



BNC-Male



F-Male



FME-Female



MCX



MMCX



SMA-Male



N-Female



N-Male/SMA-Male



SO239/SMA-Female



TNC-Male/N-Female



PL259/UHF



UFL-2



UFL



PL259 Reduced



RG174 RG58A/U RG58U LMR200 LMR400 RG178 RG316 RG213 RG8

型号 (Type)	芯线 (Center conductor)	Nominal	Shield cover	Attenuation db/100ft					TEMP SPEC
				100MHz	400MHz	900MHz	2.4GHz	5.8GHz	
RG174	SOLID	0.110	100% Foil	8.6	15.8	22.8	39.8	64.1	-40+185C
RG58A/U	STRANDED	0.195	96%	4.9	11.5	21.0	-	-	-40+80C
RG58U	SOLID	0.195	95%	4.5	10	14	-	-	-40+80C
LMR200	SOLID .044	0.195	80% Braid 100% Foil	3.2	6	9.9	16.9	26.4	-40+85C
LMR400	Bare Copper	10.29mm	100% foil 80% Braiding	1.2	2.5	3.9	6.8	10.8	-40+85C
RG178	Solid	1.8mm	100% foil	9.9	19.7	29.9	43.8	72.6	-40+85C
RG316	SIRANDED SILVER COATED	0.098	95%	8.3	17.5	27.3	39.8	64.1	-40+200C
RG213	Bare Copper	10.29mm	100% foil 80% Braiding	3.2	6.1	10.2	16.8	27.1	-40+85C
RG8	SOLID	0.405	88% Braid 100% Foil	1.4	2.6	4.2	7.5	12	-40+80C

◇◇ 49 ◇◇

◇◇ 50 ◇◇

WZ-47 BUDHELLA VILLAGE, VIKASPURI, NEW DELHI – 110018

PHONE: 011-28533349, MOB: 9810138894/9212558066, FAX: 011-2853334

EMAIL: info@rfconnector.in, WEBSITE: <http://rfconnector.in/>